Application No. 11/700,083

Amendment Dated March 9, 2009

Reply to Office Action Dated December 8, 2008

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the

application:

**Listing of Claims:** 

1. (currently amended) A method for use in a first device to configure a second device to

perform data synchronization with the first device, comprising:

transmitting to the second device from a first device, via a communication

connection, instructions for generating a web-based user interface on the second device,

said web-based user interface for use on said second device being the same interface as

used on said first device, the user interface being programmed to elicit from a user at the

second device information identifying a personal information manager (PIM) used on the

second device, and to transmit the information to the first device via the communication

connection; and

providing to the second device via the communication connection a

synchronization package based on the PIM-identifying information, the synchronization

package including a synchronization application, the synchronization application being

installed on the second device to be utilized via said web-based user interface, the web-

<u>based</u> user interface also being programmed to elicit from the user synchronization

information regarding data to be synchronized, and to provide the synchronization

3

Copied from 11700083 on 07/29/2009

Application No. 11/700,083

Amendment Dated March 9, 2009

Reply to Office Action Dated December 8, 2008

information to the synchronization application installed on the second device <u>from said</u> <u>first device</u>.

- 2. (original) The method according to claim 1, wherein the synchronization information is provided to the synchronization application via a component object model (COM) interface.
- 3. (original) The method according to claim 1, wherein the PIM-identifying information is provided by the user.
- 4. (original) The method according to claim 1, wherein the PIM-identifying information is determined by the user interface by detecting settings on the second device.
- 5. (original) The method according to claim 1, further comprising obtaining by the first device identifying information from the user.
- 6. (original) The method according to claim 1, wherein the synchronization information comprises folder names and locations.
- 7. (original) The method according to claim 1, wherein the synchronization information comprises synchronization direction and synchronization schedule.

Application No. 11/700,083 Amendment Dated March 9, 2009

Reply to Office Action Dated December 8, 2008

- 8. (original) The method according to claim 1, wherein the first device is a server.
- 9. (original) The method according to claim 8, wherein the server is network-based.
- 10. (original) The method according to claim 9, wherein the network is the Internet.
- 11. (original) The method according to claim 9, wherein the network is a local area network.
- 12. (original) The method according to claim 9, wherein the network is the public switched telephone network.
- 13. (original) The method according to claim 8, wherein the server is accessed through an information assistance service.
- 14. (original) The method according to claim 1, wherein the first and second devices are connected to each other.
- 15. (original) The method according to claim 1, wherein the first and second devices communicate with each other wirelessly.

16. (currently amended) A method for use in an information assistance service server to configure a device to perform data synchronization with the server, comprising:

transmitting to the device, via a communication connection, instructions for generating a <u>web-based</u> user interface on the device, <u>said web-based user interface for use on said device being the same interface as used on said server</u>, the user interface being programmed to elicit from a user at the device information identifying a personal information manager (PIM) used on the device, and to transmit the information to the server via the communication connection; and

providing to the device via the communication connection a synchronization package based on the PIM-identifying information, the synchronization package including a synchronization application, the synchronization application being installed on the device to be utilized via said web-based interface, the web-based user interface also being programmed to elicit from the user synchronization information regarding data to be synchronized, and to provide the synchronization information to the synchronization application installed on the device from said server.

17. (original) The method according to claim 16, wherein the synchronization information is provided to the synchronization application via a component object model (COM) interface.

6

- 18. (original) The method according to claim 16, further comprising obtaining identifying information from the user.
- 19. (original) The method according to claim 16, wherein the server is network-based.
- 20. (original) The method according to claim 19, wherein the network is the Internet.
- 21. (original) The method according to claim 19, wherein the network is the public switched telephone network.
- 22. (currently amended) An apparatus for configuring a device to perform data synchronization with the apparatus, comprising:

a communication interface for transmitting to the device, via a communication connection, instructions for generating a <u>web-based</u> user interface on the device, <u>said</u> web-based user interface for use on said device being the same interface as used on said apparatus, the user interface being programmed to elicit from a user at the device information identifying a personal information manager (PIM) used on the device, and to transmit the information to the apparatus via the communication connection; and

a processor for providing to the device via the communication connection a synchronization package based on the PIM-identifying information, the synchronization package including a synchronization application, the synchronization application being

Application No. 11/700,083

Amendment Dated March 9, 2009

Reply to Office Action Dated December 8, 2008

installed on the device to be utilized via said web-based interface, the web-based user interface also being programmed to elicit from the user synchronization information regarding data to be synchronized, and to provide the synchronization information to the synchronization application installed on the device from said apparatus.

- 23. (original) The apparatus according to claim 22, wherein the synchronization information is provided to the synchronization application via a component object model (COM) interface.
- 24. (original) The apparatus according to claim 22, wherein the PIM-identifying information is provided by the user.
- 25. (original) The apparatus according to claim 22, wherein the PIM-identifying information is determined by the user interface by detecting settings on the device.
- 26. (original) The apparatus according to claim 22, wherein identifying information is obtained from the user.
- 27. (original) The apparatus according to claim 22, wherein the synchronization information comprises folder names and locations.

8

- 28. (original) The apparatus according to claim 22, wherein the synchronization information comprises synchronization direction and synchronization schedule.
- 29. (original) The apparatus according to claim 22, wherein the apparatus is a server.
- 30. (original) The apparatus according to claim 29, wherein the server is network-based.
- 31. (original) The apparatus according to claim 30, wherein the network is the Internet.
- 32. (original) The apparatus according to claim 30, wherein the network is a local area network.
- 33. (original) The apparatus according to claim 30, wherein the network is the public switched telephone network.
- 34. (original) The apparatus according to claim 29, wherein the server is accessed through an information assistance service.
- 35. (original) The apparatus according to claim 22, wherein the apparatus and the device are connected to each other.

36. (original) The apparatus according to claim 22, wherein the apparatus and the device communicate with each other wirelessly.